


RO

Straight Single Bore Tubing

310 MM OAL

RO	O.D. (MM)	I.D. (MM)	RO	O.D. (MM)	I.D. (MM)
RO 12.01	1.2	0.1	RO 43.18	4.3	1.8
RO 12.012	1.2	0.12	RO 43.28	4.3	2.8
RO 12.02	1.2	0.2	RO 50.02	5.0	0.2
RO 12.04	1.2	0.4	RO 50.03	5.0	0.3
RO 18.05	1.8	0.5	RO 50.04	5.0	0.4
RO 23.04	2.3	0.4	RO 50.05	5.0	0.5
RO 23.05	2.3	0.5	RO 50.06	5.0	0.6
RO 23.08	2.3	0.8	RO 50.07	5.0	0.7
RO 23.085	2.3	0.88	RO 50.08	5.0	0.8
RO 23.10	2.3	1.0	RO 50.09	5.0	0.9
RO 25.07	2.5	0.7	RO 50.10	5.0	1.0
RO 26.10	2.6	1.0	RO 50.11	5.0	1.1
RO 26.14	2.6	1.4	RO 50.12	5.0	1.2
RO 32.035	3.2	0.35	RO 50.13	5.0	1.3
RO 32.13	3.2	1.3	RO 50.14	5.0	1.4
RO 33.03	3.3	0.3	RO 50.15	5.0	1.5
RO 33.05	3.3	0.5	RO 50.17	5.0	1.7
RO 33.06	3.3	0.6	RO 50.18	5.0	1.8
RO 33.08	3.3	0.8	RO 50.19	5.0	1.9
RO 33.09	3.3	0.9	RO 50.20	5.0	2.0
RO 33.10	3.3	1.0	RO 53.08	5.3	0.8
RO 33.15	3.3	1.5	RO 53.10	5.3	1.
RO 33.20	3.3	2.0	RO 53.18	5.3	1.8
RO 38.20	3.8	2.0	RO 53.23	5.3	2.3
RO 43.06	4.3	0.6	RO 63.03	6.3	0.3
RO 43.12	4.3	1.2	RO 63.08	6.3	0.8
RO 43.13	4.3	1.3	RO 63.10	6.3	1.0



Main: 248-693-9202

Fax: 248-693-9210


contact@carbide Toolingsupply.com

RO 63.15	6.3	1.5	RO 103.58	10.3	5.8
RO 63.17	6.3	1.7	RO 123.20	12.3	2.0
RO 63.20	6.3	2.0	RO 123.25	12.3	2.5
RO 68.15	6.8	1.5	RO 123.48	12.3	4.8
RO 68.20	6.8	2.0	RO 123.57	12.3	5.7
RO 63.28	6.3	2.8	RO 123.67	12.3	6.7
RO 63.32	6.3	3.2	RO 123.77	12.3	7.7
RO 63.33	6.3	3.3	RO 143.25	14.3	2.5
RO 70.21	7.0	2.1	RO 153.28	15.3	2.8
RO 73.10	7.3	1.0	RO 153.58	15.3	5.8
RO 73.15	7.3	1.5	RO 153.77	15.3	7.7
RO 73.20	7.3	2.0	RO 153.87	15.3	8.7
RO 73.33	7.3	3.3	RO 153.97	15.3	9.7
RO 73.45	7.3	4.5	RO 163.30	16.3	3.0
RO 83.12	8.3	1.2	RO 183.97	18.3	9.7
RO 83.15	8.3	1.5	RO 183.107	18.3	10.7
RO 83.18	8.3	1.8	RO 183.117	18.3	11.7
RO 83.20	8.3	2.0	RO 203.35	20.3	3.5
RO 83.38	8.3	3.3	RO 223.117	22.3	11.7
RO 83.43	8.3	4.8	RO 223.127	22.3	12.7
RO 103.10	10.3	1.0	RO 223.137	22.3	13.7
RO 103.20	10.3	2.0	RO 223.147	22.3	14.7
RO 103.30	10.3	3.0	RO 263.147	26.3	14.7
RO 103.38	10.3	3.8	RO 263.157	26.3	15.7
RO 103.48	10.3	4.8			

All RO items are stocked in grades BK 6F and BK10UF.

*Dimensions reported in mm.

Special grades can be quoted.



Main: 248-693-9202

Fax: 248-693-9210

contact@carbide Toolingsupply.com